


GMP Whisper Configuration

For Flat Drop Fiber

In order to customize your new "Whisper" to your application, we ask that you pick, one each from the lists below, the Tube Collet Assembly P/N and the Cable Kit P/N. When ordering, please have Tube and Cable dimensions available. Other sizes available upon request.



TUBE COLLET AND CLAMP ASSEMBLIES

89923	12mm O.D.
89921	12.7mm O.D.
89928	14mm O.D.
89925	16mm O.D.
89924	18mm O.D.

SPARE TUBE SEAL O RING (5 Pack)

89552	12-12.7mm
89555	14mm
89554	16mm
89558	18 mm



CABLE COLLET KIT

89951	Corning ROC
89952	Corning SST
89954	Corning ROC Fast Access
89956	Commscope

SPARE CABLE SEAL (3 Pack)

89506	Corning ROC Toneable
89507	Corning ROC Non-Toneable
89504	Corning SST Toneable
89505	Corning SST Non-Tonable
89506	Corning Fast Access ROC Tonable *
89507	Corning Fast Access ROC Non-Tonable *
89502	Commscope Toneable



* Fast Access uses above cable guide half.




General Machine Products (KT), LLC 3111 Old Lincoln Highway Trevose, PA 19053 USA

Tel: +1.215.357.5500 Fax: +1.215.357.6216 Email: info@GMPtools.com

Whisper configuration_flatdrop_July 29 2021

GMP Whisper Configuration

Replacement Hardware for Flat Drop



General Machine Products (KT), LLC 3111 Old Lincoln Highway Trevose, PA 19053 USA

Tel: +1.215.357.5500 Fax: +1.215.357.6216 Email: info@GMPtools.com

Whisper configuration_flatdrop_July 29 2021

GMP Whisper Tool Kit



32906



89588



30069




34757

Kit for converting your flat cable Whisper to round cable.

P/N 89907

INFEED DRIVE ROLLER KIT FOR WHISPER



- 31853 WASHER RETAINING 3MM NYLON
- 32366 SCAP M3X12
- 32427 SCAP M3X20
- 34687 GUIDE INFEED FIXED F/WHSPR
- 34688 GUIDE INFEED REMOVABLE WHSP
- 37262 ROLLER DRIVE ALUM KNURLED